

# Preventive Services Offered at North Bend Medical Center

## Preventive Services for Adults

1. [Abdominal aortic aneurysm one-time screening](#) for men of specified ages who have ever smoked
2. [Alcohol misuse screening and counseling](#)
3. [Aspirin use](#) to prevent cardiovascular disease and colorectal cancer for adults 50 to 59 years with a high cardiovascular risk
4. [Blood pressure screening](#)
5. [Cholesterol screening](#) for adults of certain ages or at higher risk
6. [Colorectal cancer screening](#) for adults 45 to 75 years
7. [Depression screening](#)
8. [Diabetes \(Type 2\) screening](#) for adults 40 to 70 years who are overweight or obese
9. [Diet counseling](#) for adults at higher risk for chronic disease
10. [Fall prevention](#) (with exercise or physical therapy and vitamin D use) for adults 65 years and over, living in a community setting
11. [Hepatitis B screening](#) for people at high risk, including people from countries with 2% or more Hepatitis B prevalence, and U.S.-born people not vaccinated as infants and with at least one parent born in a region with 8% or more Hepatitis B prevalence.
12. [Hepatitis C screening](#) for adults 18 to 79 years
13. [HIV screening](#) for everyone 15 to 65 years, and other ages at increased risk
14. [PrEP \(pre-exposure prophylaxis\) HIV prevention medication](#) for HIV-negative adults at high risk for getting HIV through sex or injection drug use
15. [Immunizations](#) for adults — doses, recommended ages, and recommended populations vary:
  - [Chickenpox \(Varicella\)](#)
  - [Diphtheria](#)
  - [Flu \(influenza\)](#)

- [Hepatitis A](#)
  - [Hepatitis B](#)
  - [Human Papillomavirus \(HPV\)](#)
  - [Measles](#)
  - [Meningococcal](#)
  - [Mumps](#)
  - [Whooping Cough \(Pertussis\)](#)
  - [Pneumococcal](#)
  - [Rubella](#)
  - [Shingles](#)
  - [Tetanus](#)
16. [Lung cancer screening](#) for adults 50 to 80 years at high risk for lung cancer because they're heavy smokers or have quit in the past 15 years
17. [Obesity screening and counseling](#)
18. [Sexually transmitted infection \(STI\) prevention counseling](#) for adults at higher risk
19. [Statin preventive medication](#) for adults 40 to 75 years at high risk
20. [Syphilis screening](#) for adults at higher risk
21. [Tobacco use screening](#) for all adults and cessation interventions for tobacco users
22. [Tuberculosis screening](#) for certain adults without symptoms at high risk

### **Preventive Services for Children**

All Marketplace health plans and many other plans must cover the following preventive services for children:

- [Alcohol, tobacco, and drug use assessments](#) for adolescents
- Autism screening for children at 18 and 24 months
- Behavioral assessments for children
- Bilirubin concentration screening for newborns
- Blood pressure screening for children

- [Blood screening](#) for newborns
- [Depression screening](#) for adolescents beginning routinely at age 12
- Developmental screening for children under age 3
- Dyslipidemia screening for all children once between 9 and 11 years and once between 17 and 21 years, and for children at higher risk of lipid disorders
- [Fluoride supplements](#) for children without fluoride in their water source
- [Fluoride varnish](#) for all infants and children as soon as teeth are present
- Gonorrhea preventive medication for the eyes of all newborns
- Hearing screening for all [newborns](#); and regular screenings for children and adolescents as recommended by their provider
- Height, weight and body mass index (BMI) measurements taken regularly for all children
- Hematocrit or hemoglobin screening for all children
- [Hemoglobinopathies or sickle cell screening](#) for newborns
- [Hepatitis B screening](#) for adolescents at higher risk
- [HIV screening](#) for adolescents at higher risk
- [Hypothyroidism screening](#) for newborns
- [PrEP \(pre-exposure prophylaxis\) HIV prevention medication](#) for HIV-negative adolescents at high risk for getting HIV through sex or injection drug use
- [Immunizations](#) for children from birth to 18 years — doses, recommended ages, and recommended populations vary:
  - [Chickenpox \(Varicella\)](#)
  - [Diphtheria, tetanus, and pertussis \(DTaP\)](#)
  - [Haemophilus influenzae type b](#)
  - [Hepatitis A](#)
  - [Hepatitis B](#)
  - [Human Papillomavirus \(HPV\)](#)

- [Inactivated Poliovirus](#)
- [Influenza \(flu shot\)](#)
- [Measles](#)
- [Meningococcal](#)
- [Mumps](#)
- [Pneumococcal](#)
- [Rotavirus](#)
- [Rubella](#)
  
- [Lead screening for children at risk of exposure](#)
- [Obesity screening and counseling](#)
- [Oral health risk assessment](#) for young children from 6 months to 6 years
- [Phenylketonuria \(PKU\) screening](#) for newborns
- [Sexually transmitted infection \(STI\) prevention counseling and screening](#) for adolescents at higher risk
- Tuberculin testing for children at higher risk of tuberculosis
- [Vision screening](#) for all children
- [Well-baby and well-child visits](#)

### **Disclaimer**

Generally, these services are covered at no cost to you when provided by an in-network medical provider. In most cases, you won't pay a copayment or coinsurance for certain preventive services like immunizations and screening tests, even if you haven't met your deductible. Coverage may vary. **\$0 cost isn't guaranteed in all cases.**